



INTERIOR COLLECTION


www.trimlite.com

OUR STORY

For over 30 years, Trimlite™ has been committed to producing high quality interior and exterior door and glass products. Founded in Vancouver, British Columbia, we operate manufacturing facilities in four countries with distribution locations across North America. Managing the largest interior wood door manufacturing facility in Western Canada, our team creates beautiful doors to meet your specific requirements.

Our Interior Door Collection is focused on the simple premise of crafting doors for the design needs of our diverse customers. It has something for every architectural space and style.

At Trimlite™, Handcrafted Construction meets Modern Design.



Interior Door Introduction and Design Ideas 4-9

Jeld-Wen™ Quick Ship Moulded Wood Composite Doors .. 10-13

Quick Ship Shaker Doors & Bi-Folds | Primed 14-15

Quick Ship Shaker Doors & Bi-Folds | Knotty Alder & Fir 16

Quick Ship Applied Bead Doors | Primed 17

Quick Ship Plantation Louver Doors & Bi-Folds | Primed 18

Quick Ship Rustic & Shaker Barn Doors & Hardware 19-21

Quick Ship French Doors 22-27

Quick Ship Retro French Doors 28-29

Custom Doors Introduction 30

Custom Shaker Doors & Bi-Folds | Primed 31

Custom Shaker Doors & Bi-Folds w/Glass | Primed 32

Custom Contemporary Doors w/Panels | Primed 33

Custom Contemporary Doors w/Glass | Primed 34

Custom Shaker Doors & Bi-Folds | Fir 35

Custom Contemporary Doors w/Panels | Fir 36

Custom Contemporary Doors w/Glass | Fir 37

Custom Shaker Doors & Bi-Folds | Knotty Alder 38

Custom Oversized Shaker Barn Doors 39

Custom Contemporary Barn Doors w/Glass 40

Custom Flat Panel Ovolo Bead Doors | Primed 41

Custom Raised Panel Doors | Primed 42

Custom High Definition Doors | Primed 43

Custom Woodbar French Doors | Primed 44-45

Quick Ship Stocking Sizes 46-47

Warranties 48-51

PRIVACY GUIDE

Trimlite™ offers an extensive line of glass options to choose from and the degree of opacity varies considerably. With each design, we have included a number which represents the “Privacy Level” for that product. Please refer to the guide below. Note: This guide is subjective. It should only be used when comparing Trimlite designs.

PRIVACY	1	2	3	4	5	6	7	8	9	10
	Completely Clear			Diffused/Distorted			Completely Opaque			
	Objects can be clearly seen through the glass from the opposite side.			Objects are distorted, but can still be detected from the opposite side.			Only light will travel through from the opposite side.			



LOCAL PRODUCTS

We source our wood products locally, selecting from high grades of Douglas Fir, Knotty Alder, and Pine. We believe our forests grow the best trees, and we want our doors to reflect that.

FROM TREE TO HOME

Trimlite™ manufactures its door products both locally and globally, allowing us to control the quality of our products from tree to door.

MADE IN CANADA

We select partners that reflect our values. Trimlite™ has partnered with industry leaders like Jeld-Wen™ to offer a complete line of Canadian-made Moulded Panel products.

DETAILS MATTER

We pride ourselves on being manufacturers, and to us, the little details matter. Whether it is a perfect joint, a seam-free door, or a shaker with perfect edges, we want to build the best door, every time.





MODERN FARMHOUSE


A balanced blend of modern and rustic, the Modern Farmhouse style continues to be a rising trend. We paired some of our favorite doors and hinge options that intelligently mix modern and traditional.





CONTEMPORARY

Contemporary homes reflect the architecture and design of today. They represent smart design and curb appeal. We selected several doors that we believe represent the ethos of now and can be loved forever.





CRAFTSMAN

Craftsman homes emphasize hand-worked touches and beautiful detailing. Popularized at the turn of the 20th Century, it remains a popular design aesthetic. We have recommended several door and hardware options that give your doors the beautiful detailing a craftsman home requires.

Santa Fe

Craftsman III

Primed Z-Bar Barn Door

US10B Hinge

8403 Knotty Alder

8403 HD Door

8402 K-Bar Knotty Alder

US10B Hinge

8405 Fir

Fir Clear Glass French Door

8944 Barn Door With Clear Glass

US10B Hinge



TRADITIONAL

Traditional homes are comforting and classic. Their interiors are calm, orderly and predictable. Everything matches and is consistent. We suggest these doors for completing the look in a traditional home style and décor.

 <p>2-Panel Carrara</p>  <p>2-Panel Bi-Fold Carrara</p>  <p>Primed 1501 Pantry French Door</p>  <p>US3 Hinge</p>	 <p>8405</p>  <p>5-Panel Rockport</p>  <p>Primed 1501 Adelaide French Door</p>  <p>US15 Hinge</p>	 <p>OV55 Double Hip Raised Panel</p>  <p>Primed 1501 Clear Glass French Door</p>  <p>1315 Woodbar French Door With Clear Glass</p>  <p>US3 Hinge</p>
--	---	--

Our Quick Ship program allows you to select beautifully designed doors when you need them. We stock an unrivaled selection of Flush, Moulded, and Shaker doors that will complement any home style. Let Trimlite™ help you create an interior look that reflects your taste and complements the design of your home.

2'8" x 6'8"
Primed 8020

INTRODUCING...



Moulded Wood Composite Doors

In an exclusive partnership with Jeld-Wen™, Trimlite™ is proud to offer the extensive line of Jeld-Wen™ Moulded Wood Composite doors, introducing new options for both functionality and style. Choose from a medley of popular door styles, including Madison, Carrara, and Santa Fe, with select styles available in a textured woodgrain finish. All doors are primed and ready to paint.



Features and Benefits

- Available widths 1'0" - 3'0"
- Available heights 6'8", 7'0" and 8'0"
- Available thickness 1-3/8" and 1-3/4"
- Reduce sound transmission between spaces with **PROCORE** (optional)
- Environmentally friendly & affordable



PROCORE
THE QUIET DOOR®

ProCore®
the Quiet Door

All of our interior moulded and flush doors are available with ProCore® the Quiet Door construction.

Sticking Profiles

Sticking adds another layer of character and definition to your interior door. Our collection of moulded interior doors come with a variety of square, cove and bead, stepped, and ovolo sticking profiles, machined into the edges of the door's stiles and rails, to match the architectural style of your home.



Cove and Bead Sticking



Ovolo Sticking



Square Sticking



Stepped Sticking



3'0" x 6'8"
Primed Continental

Moulded & Flush Doors

6/8
1-3/8"
Quick Ship* Sizes:
1/6, 2/0, 2/4,
2/6, 2/8,
2/10, & 3/0



Santa Fe



Continental



Carrara



Colonist



Rockport



Primed Hardboard

Available as 20-Minute Fire Door. Call for sizes and availability. Available with the solid door construction. Call your rep. for sizes and availability.

Moulded & Flush Bi-Fold Doors (includes track & hardware)

6/6-5/8"
1-3/8"
(78-5/8" Net Size)
Quick Ship* Sizes:
2/0, 2/6, & 3/0



Santa Fe



Continental



Carrara



Colonist



Rockport



Primed Hardboard

Moulded & Flush Doors

7/0
1-3/8"
Quick Ship* Sizes:
2/0, 2/4, 2/6,
2/8, 2/10, & 3/0



Carrara



Primed Hardboard



Moulded & Flush Doors

8/0
1-3/8"
Quick Ship* Sizes:
2/0, 2/4, 2/6,
2/8, 2/10, & 3/0



Santa Fe



Carrara



Rockport



Primed Hardboard



3'0" x 6'8"
Primed Carrara

*Quick Ship: We make every effort to ensure all Quick Ship Items are in stock. However, we do not guarantee stock. Other Non-Stock Moulded Doors available too. Please call your representative for availability.

Shaker Style Moulded Doors

6/8
1-3/8"

Quick Ship* Sizes:
1/6, 2/0, 2/4,
2/6, 2/8,
2/10, & 3/0



Madison



Monroe



Craftsman III



Birkdale



Conmore

Available with **PROCORE** the solid door construction. Call your rep. for sizes and availability.

Shaker Style Moulded Bi-Fold Doors (includes track & hardware)

6/6-5/8"
1-3/8"
(78-5/8" Net Size)

Quick Ship* Sizes:
2/0, 2/6, & 3/0



Madison



Monroe



Craftsman III



Birkdale



Conmore

Shaker Style Moulded Doors

7/0
1-3/8"

Quick Ship* Sizes:
2/0, 2/4, 2/6,
2/8, & 3/0



Madison



Monroe



Birkdale

Shaker Style Moulded Doors

8/0
1-3/8"

Quick Ship* Sizes:
2/0, 2/4,
2/6, 2/8,
2/10, & 3/0



Madison



Monroe



Birkdale




3'0" x 6'8" Primed
Craftsman III

*Quick Ship: We make every effort to ensure all Quick Ship Items are in stock. However, we do not guarantee stock. Other Non-Stock Moulded Doors available too. Please call your representative for availability.

Shaker Panel Doors

6/8
1-3/8"

Quick Ship* Sizes:
1/6, 2/0, 2/2,
2/4, 2/6, 2/8,
2/10, & 3/0



8401 8402 8403† 8433 8444 8405 8491

†: #8403 door in sizes 1/6 will have two panels. 🔥 Available as 20-Minute Fire Door. Call for sizes and availability.

Shaker French Doors Diffused White Laminate (DWL)


6/8
1-3/8"

Quick Ship* Sizes:
2/0, 2/4, 2/6,
2/8, 2/10, & 3/0



8401G† 8433G 8405G

†: 8401G DWL door includes 2/2 in Quick Ship size.




Laminated Safety Glass
PRIVACY 10

Shaker Bi-Folds (includes track & hardware)

6/7
1-3/8"

Quick Ship* Sizes:
2/0, 2/6, & 3/0



8401BF 8402BF 8403BF

8433BF 8444BF 8405BF



2'8" x 6'8"
Primed 8401

*Quick Ship: We make every effort to ensure all Quick Ship Items are in stock. However, we do not guarantee stock.

Shaker Panel Doors

7/0
1-3/8"

Quick Ship* Sizes:
2/0, 2/2,
2/4, 2/6, 2/8,
2/10, & 3/0



8401



8402



8433



8405

 Available as
20-Minute
Fire Door.
Call for
sizes and
availability.

Shaker Panel Doors

8/0
1-3/8"

Quick Ship* Sizes:
1/6, 2/0, 2/2,
2/4, 2/6, 2/8,
2/10, & 3/0



8401



8402



8403[†]



8433



8405



8491

†: #8403 door in sizes 1/6 will have two panels.



3'0" x 6'8"
Primed 8444

*Quick Ship: We make every effort to ensure all Quick Ship Items are in stock. However, we do not guarantee stock.

Knotty Alder Doors & Bi-Folds (includes track & hardware)

6/8
1-3/8"

Quick Ship* Sizes:
1/6, 2/0, 2/2,
2/4, 2/6, 2/8,
2/10, & 3/0



8401



8402



8403†

†: #8403 door in sizes 1/6 will have two panels.



2'6" x 6'8"
Fir 8405

6/7
1-3/8"

Quick Ship* Sizes:
2/0, 2/6, & 3/0



8401BF



8402BF



8403BF

Fir Doors

6/8
1-3/8"

Quick Ship* Sizes:
1/6, 2/0, 2/4,
2/6, 2/8,
2/10, & 3/0



8401



8402



8403†



8433



8405

Fir Bi-Folds (includes track & hardware)

6/7
1-3/8"

Quick Ship* Sizes:
2/0, 2/6, & 3/0



8401BF



8402BF



8403BF



8433BF



8405BF

*Quick Ship: We make every effort to ensure all Quick Ship Items are in stock. However, we do not guarantee stock.

Our beading options can give any shaker door a different appearance. Flexibility in architectural styles enables an appropriate match for any home. These beads work with any Quick Ship Primed Shaker door to offer a unique look.




8401



8402



8403



8433



8404



8405



Beading & Shaker Configurations



Standard Shaker Profile



Option Flat Bead



Option Ovolo Bead



Option Angle Bead



Option Quirk Bead

*Quick Ship: We make every effort to ensure all Quick Ship Items are in stock. However, we do not guarantee stock.

QUICK SHIP PLANTATION LOUVER | Primed



The Primed Plantation Louver door is not your traditional louver door. Our oversized 3-1/4" louver slat increases ventilation and promotes airflow between rooms while providing the strength and stability of true stile and rail construction.

Our plantation louver door allows for increased privacy while maintaining all of the conventional benefits of a venting louver door.



Note: Not available in custom sizes.

Louver Door

6/8
1-3/8"

Quick Ship* Sizes:
1/6, 2/0, 2/2,
2/4, 2/6, 2/8,
2/10, 3/0 & 3/6

7/0
1-3/8"

Quick Ship* Sizes:
3/0*

*7/0 door comes with 10" bottom rail.



8730

Louver Bi-Folds (includes track & hardware)

6/7
1-3/8"

Quick Ship* Sizes:
2/0, 2/6, 3/0



8730BF

*Quick Ship: We make every effort to ensure all Quick Ship Items are in stock. However, we do not guarantee stock.

QUICK SHIP RUSTIC AND SHAKER BARN DOORS



3'6" x 7'0" Knotty Alder 8402BK with 6-1/2" Matte Black Handle and Rustic Track

Rustic Barn Doors



8401B Knotty Alder



8401BFWR Primed



8402BK Primed



8401BZ Primed



8401BZ Fir



8401BZ Knotty Alder

	3'0" x 7'0"	3'6" x 7'0"	4'0" x 7'0"	3'6" x 8'0"	4'0" x 8'0"
8401 BZ Fir	N/A	■	■	■	■
8401 BZ Knotty Alder	N/A	■	■	■	■
8401 BZ Primed	■	■	■	■	■
8401 B Knotty Alder	N/A	■	■	N/A	N/A
8401 B Primed	N/A	■	■	N/A	N/A
8401 BFWR Knotty Alder	N/A	■	N/A	N/A	N/A
8401 BFWR Primed	N/A	■	N/A	N/A	N/A
8402 BK Knotty Alder	N/A	■	N/A	N/A	N/A
8402 BK Primed	N/A	■	N/A	N/A	N/A

Trimlite™ offers a wide selection of Rustic and Shaker style barn doors in both standard and oversized doors. Our barn doors arrive with a T-Groove routed to complement our barn door track. Select yours today.

	2'6" x 7'0"	2'8" x 7'0"	3'0" x 7'0"	2'6" x 8'0"	2'8" x 8'0"	3'0" x 8'0"
8401	■	■	■	■	■	■
8402	■	■	■	■	■	■
8433	■	■	■	■	■	■
8405	■	■	■	■	■	■

Shaker Panel Doors

Primed



8401



8402



8433



8405

QUICK SHIP BARN DOOR HARDWARE

Trimlite™ offers several barn door and hardware options in matte black and brushed stainless steel. There are two styles of barn door track, rustic and contemporary. Our rustic track comes with a bent strap hanger. Trimlite™ also offers a contemporary track with a top mount roller. Our hardware is tested to handle doors up to 225 pounds and comes in two sizes, 84" and 96". Select your track and pair it with the perfect barn door handle and pull.

Rustic Track + Hardware



Matte Black



Brushed Stainless Steel

Contemporary Track + Hardware



Matte Black




Brushed Stainless Steel



3'0" x 7'0" Knotty Alder 8401BZ
with Matte Black Hardware
and 6-1/2" Handle

Contemporary Bar Pulls



Contemporary pull sizes 8", 12", 16", 24", 36", 60" in stainless steel.

Matte black available in 24" or 60" pull.

Bypass Bracket



Matte Black



Stainless Steel

Rectangular Flush Pulls



Matte Black
6 1/2"



Brushed Stainless Steel
6 1/2"

Handles



Matte Black
6 1/2"



Brushed Stainless Steel
6 1/2"

Soft Close Hardware



Matte Black



Matte Grey
(Matches Stainless Steel Track)

French Doors

Trimlite™ offers a deep and versatile selection of French Door styles and glass designs to complement any architectural style. We offer five door species, Primed, Fir, Knotty Alder, Maple, and Oak to match the other doors in your home. There are two French Door styles available—the 1501, which has the traditional ovolo French Door bead, or the 8601*, which comes with a contemporary quirk bead. We offer a wide variety of decorative glass options, sure to complement any decor.

Choosing Your Door? Easy as 1, 2, 3

1. Choose Your Door Species:



Primed



Fir



Knotty Alder



Maple ■



Oak ■

2. Choose Your Door Style



1501
Ovolo Bead



8601*
Quirk Bead


3. Choose Your Glass:

See options on pages 23-29.

■ Maple and Oak available in 6/8 only.

*8601 Available in Primed ONLY for Quick Ship. Knotty Alder and Fir available special order.

3'0" x 6'8" 1501 Primed French Door with Rooftop glass




5'0" x 6'8" 1501 Fir French Double Door with Adelaide glass

Adelaide

Available in Patina only

PRIVACY **8**



Sable Bevels

Clear Bevels

3/8" Caming

Sable Bevel



6/8



7/0



8/0




3'0" x 6'8" 1501 Primed French Door with Artisan glass

Artisan

Available in Patina only

PRIVACY 7



6/8

7/0

8/0




28" x 68" 1501 Primed French Door with Harlow glass

Harlow

Available in Patina only

PRIVACY 8




- Narrow Reed
- Granite
- 3/16" Caming
- 3/8" Caming
- Sandblast
- Clear Bevels



6/8

7/0

8/0




5'0" x 6'8" 1501 Primed French Double Door with Lexington glass

Lexington

Available in Patina only

PRIVACY 5



Clear Ripple

Clear Bevels


Grey Ripple

Drawn

3/16" Caming



6/8



7/0



8/0




3'0" x 6'8" 1501 Fir French Door with Modena glass

Modena

Available in Patina and Zinc
(Shown in Zinc)

PRIVACY **7**



6/8

7/0

8/0

QUICK SHIP RETRO FRENCH DOORS



Clear †*
Option: Bevel
PRIVACY 1



Diffused White
Laminate †*
PRIVACY 10



Satin Etch †*
PRIVACY 9



Mirror 2-sided*
Option: Mirror
1-side
PRIVACY 10



Rain †*
PRIVACY 9



Pantry †
PRIVACY 8



Laundry †
PRIVACY 8



Narrow Reed †*
PRIVACY 8



Pinhead †*
PRIVACY 9



Rooftop †*
PRIVACY 8

† Tempered Safety Glass
‡ Laminated Safety Glass

Note: Also available in 7/0 & 8/0*
*Available in full lite (no bottom panel)

QUICK SHIP RETRO FRENCH DOORS



Quattro †*
PRIVACY 7



Screen Dot †*
PRIVACY 8



Sable †*
PRIVACY 9



Seedy Baroque †
PRIVACY 3



Wheat †
PRIVACY 7



Madison Castlite †
PRIVACY 8



Delta Frost †*
PRIVACY 9



Riverton Clear †
PRIVACY 1



Riverton Obscure †
PRIVACY 8



Kasumi †
PRIVACY 8

† Tempered Safety Glass

Note: Also available in 7/0 & 8/0*
*Available in full lite (no bottom panel)

CUSTOM DOORS INTRODUCTION

LOCAL PRODUCTS

We source our wood products locally, selecting from high grades of Douglas Fir, Knotty Alder, and Pine. Each door represents the Pacific Northwest's best asset, our forests.

MADE IN CANADA

Our custom doors are all proudly made in Canada. We operate the largest interior door manufacturing location in British Columbia and are proud of that heritage.

DETAILS MATTER

We pride ourselves on being manufacturers, and to us, details matter. Whether it is a perfect joint, a seam-free door, or a shaker with perfect edges, we want to build the best door every time. Although it might take a little longer than our Quick Ship doors, we want to make sure each handmade door is right the first time.



2'9" x 6'10" Primed 8402



2'5" x 6'5" Primed 8444 Shaker

Trimlite's™ Canadian made custom shaker doors are factory primed for your convenience.

With many different styles to choose from, our custom primed doors will be the right fit for any project.

Custom options include 1-3/8" and 1-3/4" thicknesses, door sizes up to 9/0. 9/0 is only available in 1-3/4".

 Available as 20-Minute Fire Door.
Call for sizes and availability.

Shaker Panel Doors



8401



8402



8403



8433




8444



8405

Shaker Bi-Folds (includes track & hardware)



8401BF



8402BF



8403BF



8433BF



8444BF



8405BF



27" x 67" Primed 8405
Shaker DWL Door

Trimlite's™ custom glass Shaker doors are perfect accents for any interior. Fully obscure glass offers maximum privacy.

Custom options include 1-3/8" and 1-3/4" thicknesses, custom heights, custom widths and custom glass.

Glass Options



Clear
PRIVACY 1



Seedy Baroque
PRIVACY 3



Sea Spray
PRIVACY 5



Rain
PRIVACY 9



Rooftop
PRIVACY 8



Sable
PRIVACY 9



Screen Dot
PRIVACY 9



Diffused White Laminate
PRIVACY 10

Shaker Doors with Glass



8401



8402



8433



8444



8405

Shaker Bi-Folds with Glass (includes track & hardware)



8401BF



8402BF



8433BF



8444BF



8405BF



Our contemporary collection offers ultra modern styling with sleek lines.

Available options include 1-3/8" and 1-3/4" door thicknesses, 6/8, 7/0, 7/6 and 8/0 heights in all standard widths, and bifolds.

Custom sizes also available. Contact your dealer for information.

8400 Shaker Series 6/8 1-3/8"



8900 Shaker Series 6/8 1-3/8"





3'0" x 6'8" Primed 8488
Contemporary Door with
Diffused White Laminate Glass

Glass Options



Clear
PRIVACY 1



Seedy Baroque
PRIVACY 3



Sea Spray
PRIVACY 5



Rooftop
PRIVACY 8



Sable
PRIVACY 9




Screen Dot
PRIVACY 9



Diffused White Laminate
PRIVACY 10


8400 Shaker Series 6/8 1-3/8"



Our contemporary collection offers ultra modern styling with sleek lines. Available with seven different glass options.

Available options include 1-3/8" and 1-3/4" door thicknesses, 6/8, 7/0, 7/6 and 8/0 heights in all standard widths, and bifolds. Custom sizes also available. Contact your dealer for information.

8900 Shaker Series 6/8 1-3/8"





We use Vertical Grain Douglas Fir, the highest quality fir available. Douglas Fir is timeless, and is used in many architectural styles, from traditional to contemporary. Available options in 1-3/8" and 1-3/4" thicknesses, 6/8, 7/0, and 8/0 heights.

 Available as 20-Minute Fire Door.
Call for sizes and availability.

Shaker Panel Doors



8401



8402



8403



8433



8444



8405

Shaker Bi-Folds (includes track & hardware)



8401BF



8402BF



8403BF



8433BF



8444BF



8405BF

The materials contained in this page are for presentation purpose; actual prefinished colour may vary.



24" x 6'8" Fir 8499
Contemporary with panels

8400 Shaker Series 6/8 1-3/8"




Our contemporary collection offers ultra modern styling with sleek lines.

Available options include 1-3/8" and 1-3/4" door thicknesses, 6/8, 7/0, 7/6 and 8/0 heights in all standard widths, and bifolds. Custom sizes also available. Contact your dealer for information.

8900 Shaker Series 6/8 1-3/8"



8400 Shaker Series



Glass Options



Clear
PRIVACY 1



Seedy Baroque
PRIVACY 3



Sea Spray
PRIVACY 5



Rooftop
PRIVACY 8



Sable
PRIVACY 9



Screen Dot
PRIVACY 9




Diffused White Laminate
PRIVACY 10

Our contemporary collection offers ultra modern styling with sleek lines. Available with seven different glass options.

Available options include 1-3/8" and 1-3/4" door thicknesses, 6/8, 7/0, 7/6 and 8/0 heights in all standard widths, and bifolds. Custom sizes also available. Contact your dealer for information.

8900 Shaker Series





2'9" x 6'8" Knotty Alder
8402 Shaker Door

Our Knotty Alder doors provide a rustic look for homeowners and are popular in a variety of modern and traditional homes.

Available options include 1-3/8" and 1-3/4" door thicknesses, 6/8, 7/0, 7/6 and 8/0 heights in all standard widths, and bifolds.

 Available as 20-Minute Fire Door. Call for sizes and availability.

Shaker Panel Doors 6/8 1-3/8"



8401 



8402 



8403 



8433 



8444 



8405 

Shaker Bi-Folds 6/8 1-3/8" (includes track & hardware)



8401BF



8402BF



8403BF



8433BF



8444BF



8405BF

CUSTOM OVERSIZED SHAKER BARN DOORS

Shaker Panel Doors



Primed Fir Knotty Alder



8401 8402 8403



8433 8444 8405




3'0" x 7'0" Primed 8433 with Contemporary Matte Black Hardware and 6-1/2" Flush Pull

	Primed	Fir	Knotty Alder	Primed DWL
3'0" x 7'0"	■	■	■	■
3'6" x 7'0"	■	■	■	■
4'0" x 7'0"	■	■	■	■
5'0" x 7'0"	■	■	N/A	■
3'0" x 8'0"	■	■	■	■
3'6" x 8'0"	■	■	■	■
4'0" x 8'0"	■	■	■	■
5'0" x 8'0"	■	N/A	N/A	■

Shaker French Doors

Primed Diffused White Laminate (DWL)



8401 8433 8444 8405

Any DWL Barn Doors over 3'0" in width will use tempered glass.
 Any doors over 3'6" in width will use 5-1/2" top rail and stiles.

CUSTOM CONTEMPORARY BARN DOORS W/GLASS

Contemporary Doors



Primed



Fir



8933



8944



8955



8466



8477



8488



8499



8410



8411

	Primed	Fir
3'0" x 7'0"	■	■
3'6" x 7'0"	■	■
3'0" x 8'0"	■	■
3'6" x 8'0"	■	■



3'6" x 7'0" 8955 Primed Contemporary Door with DWL Glass, Contemporary Stainless Steel Hardware and 24" Contemporary Bar Pull

Any DWL Barn Doors over 3'0" in width will use tempered glass.



28" x 68" Primed
1433 Ovolo Door

Flat Panel Ovolo Bead Doors



1401



1402



1403



1433




1444



1405

Specifications



We added a decorative Ovolo Bead to our Flat Panel Doors to create our 1400 Series. This bead is manufactured with precision, no nail holes, and consistent reveals at every edge.

Available in a variety of panel layouts and wood species.

Available in 1-3/8" door thickness and 6/8, 7/0, 7/6 and 8/0 heights in all standard widths, and bifolds. Custom sizes also available. Contact your dealer for information.

CUSTOM RAISED PANEL DOORS | Primed




28" x 68" Primed OV22
Double Hip

Our Raised Panel doors are a timeless look. We offer three different panel layouts (Double Hip, Single Hip, and Scoop) for any traditional style.

Available options include 1-3/8" and 1-3/4" door thicknesses, 6/8, 7/0, 7/6 and 8/0 heights in all standard widths, and bifolds. Custom sizes also available. Contact your dealer for information.

Specifications



Raised Panel Doors



OV11



OV22



OV24



OV33



OV44



OV55



OV66



26" x 68" Primed
8403 HD Shaker

High Definition Doors



8401HD



8402HD



8403HD



8433HD





8444HD



8405HD

The High Definition Shaker Door combines the sharp edges and clean lines of traditional shaker doors with a contemporary twist. True 90-degree angles where the panel meets the solid wood stiles and rails give this door a clean look. 20-Minute Fire Rated doors now available (optional).

Specifications



26" x 68" Primed
8402 HD Shaker

 Available as 20-Minute Fire Door.
Call for sizes and availability.



5'4" x 6'8" Primed Double 1310 Woodbar French Doors with Clear glass

Our Woodbar Doors provide a unique look for your home – a door with true divided lites. This gives a distinct aesthetic and will stand out in any setting.

Lite Options



1310

1315


1304

1305


1306

1309*

Mullion Configurations



TDL Ovolo Bead



TDL Shaker Bead

*Not available in 8/0 height.



2'8" x 6'8" Primed 1306
Woodbar French Door
with Clear glass

Available in 1-3/8" and 1-3/4" thicknesses, and 6/8, 7/0, or 8/0 heights. Contact your sales rep. for sizes.

Glass Options



Clear/Bevel
PRIVACY 1



Seedy Baroque
PRIVACY 3




Sea Spray
PRIVACY 5



Rooftop
PRIVACY 8



Sable
PRIVACY 9



Screen Dot
PRIVACY 9

QUICK SHIP STOCKING SIZES

Due to ongoing product development we reserve the right to make changes in design, materials and specifications without notice.

LEGEND

N/A = NOT AVAILABLE + = SPECIAL ORDER ■ = IN STOCK E = EXTENDED LEADTIME

DESCRIPTIONS	DOOR WIDTHS								DOOR HEIGHTS			Bi-Fold		20 MIN.	Door Thickness
	1/6	2/0	2/2	2/4	2/6	2/8	2/10	3/0	6/8	7/0	8/0	6/7		20 MIN.	1-3/4"
Pages 12-13 Primed Moulded Flush Doors & Bi-Folds	1/6	2/0	2/2	2/4	2/6	2/8	2/10	3/0	6/8	7/0	8/0	6/7		20 MIN.	1-3/4"
Santa Fe 1-3/8"	■	■	+	■	■	■	■	■	■	+	■	■	■	■	+
Continental 1-3/8"	■	■	+	■	■	■	■	■	■	+	+	■	■	+	+
Carrara 1-3/8"	■	■	■	■	■	■	■	■	■	■	■	■	■	■	+
Colonist 1-3/8"	■	■	+	■	■	■	■	■	■	+	+	■	■	■	+
Rockport 1-3/8"	■	■	+	■	■	■	■	■	■	+	■	■	■	+	+
Primed Hardboard 1-3/8"	■	■	+	■	■	■	■	■	■	+	■	■	■	■	+
Madison 1-3/8"	■	■	■	■	■	■	■	■	■	■	■	■	■	+	+
Monroe 1-3/8"	■	■	■	■	■	■	■	■	■	■	■	■	■	+	+
Craftsman III 1-3/8"	■	■	■	■	■	■	■	■	■	+	+	■	■	+	+
Birkdale 1-3/8"	■	■	■	■	■	■	■	■	■	■	■	■	■	+	+
Conmore 1-3/8"	■	■	+	■	■	■	■	■	■	+	■	■	■	+	+
Camden 1-3/8"	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Princeton 1-3/8"	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Cambridge 1-3/8"	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Pages 14-15 Primed Shaker Doors & Bi-Folds	1/6	2/0	2/2	2/4	2/6	2/8	2/10	3/0	6/8	7/0	8/0	Bi-Fold	DWL	20 MIN.	1-3/4"
8401 1-3/8"	■	■	■	■	■	■	■	■	■	■	■	■	■	■	+
8402 1-3/8"	■	■	■	■	■	■	■	■	■	■	■	■	+	+	+
8403 1-3/8"	■	■	■	■	■	■	■	■	■	+	■	■	+	+	+
8433 1-3/8"	■	■	■	■	■	■	■	■	■	■	■	■	■	■	+
8444 1-3/8"	■	■	■	■	■	■	■	■	■	+	+	+	+	+	+
8405 1-3/8"	■	■	■	■	■	■	■	■	■	■	■	■	■	■	+
8491 1-3/8"	■	■	■	■	■	■	■	■	■	+	■	■	N/A	■	+
Page 16 Knotty Alder Shaker Doors & Bi-Folds	1/6	2/0	2/2	2/4	2/6	2/8	2/10	3/0	6/8	7/0	8/0	Bi-Fold		20 MIN.	1-3/4"
Knotty Alder 8401 1-3/8"	■	■	■	■	■	■	■	■	■	+	+	■	■	+	+
Knotty Alder 8402 1-3/8"	■	■	■	■	■	■	■	■	■	+	+	■	■	+	+
Knotty Alder 8403 1-3/8"	■	■	■	■	■	■	■	■	■	+	+	■	■	+	+
Page 16 Fir Shaker Doors & Bi-Folds	1/6	2/0	2/2	2/4	2/6	2/8	2/10	3/0	6/8	7/0	8/0	Bi-Fold		20 MIN.	1-3/4"
Fir 8401 1-3/8"	■	■	+	■	■	■	■	■	■	+	+	■	■	+	+
Fir 8402 1-3/8"	■	■	+	■	■	■	■	■	■	+	+	■	■	+	+
Fir 8403 1-3/8"	■	■	+	■	■	■	■	■	■	+	+	■	■	+	+
Fir 8433 1-3/8"	■	■	+	■	■	■	■	■	■	+	+	■	■	+	+
Fir 8405 1-3/8"	■	■	+	■	■	■	■	■	■	+	+	■	■	+	+
Page 18 Primed Plantation Louver	1/6	2/0	2/2	2/4	2/6	2/8	2/10	3/0	6/8	7/0	8/0	Bi-Fold		20 MIN.	1-3/4"
Primed Plantation Louver Door 1-3/8"	■	■	■	■	■	■	■	■	■	N/A	N/A	■	■	N/A	N/A
DESCRIPTIONS	DOOR WIDTHS & HEIGHTS														
Page 19 Rustic and Shaker Barn Doors	3'0" x 7'0"			3'6" x 7'0"			4'0" x 7'0"			3'6" x 8'0"			4'0" x 8'0"		
8401B Primed 1-3/8"	N/A			■			■			N/A			N/A		
8401B Knotty Alder 1-3/8"	N/A			■			■			N/A			N/A		

QUICK SHIP STOCKING SIZES

DESCRIPTIONS	DOOR WIDTHS & HEIGHTS												
Page 19 Rustic and Shaker Barn Doors Cont.	3'0" x 7'0"	3'6" x 7'0"	4'0" x 7'0"	3'6" x 8'0"	4'0" x 8'0"								
8401BFWR Primed	N/A	■	N/A	N/A	N/A								
8401BFWR Knotty Alder	N/A	■	N/A	N/A	N/A								
8401BZ Primed	■	■	■	■	■								
8401BZ Knotty Alder	N/A	■	■	■	■								
8401BZ Fir	N/A	■	■	■	■								
8402BK Primed	N/A	■	N/A	N/A	N/A								
8402BK Knotty Alder	N/A	■	N/A	N/A	N/A								
Page 19 Shaker Panel Barn Doors	2'6" x 7'0"	2'8" x 7'0"	3'0" x 7'0"	2'6" x 8'0"	2'8" x 8'0"	3'0" x 8'0"							
8401 Primed Shaker Panel	■	■	■	■	■	■							
8402 Primed Shaker Panel	■	■	■	■	■	■							
8433 Primed Shaker Panel	■	■	■	■	■	■							
8405 Primed Shaker Panel	■	■	■	■	■	■							
DESCRIPTIONS	DOOR WIDTHS								DOOR HEIGHTS				
French Door	1/6	2/0	2/2	2/4	2/6	2/8	2/10	3/0	6/8	7/0	7/6	8/0	8/0 Paneled
Adelaide (P)*	N/A	■	■	■	■	■	■	■	■	■	+	N/A	■
Harlow (P)*	N/A	■	■	■	■	■	■	■	■	■	+	N/A	■
Artisan (P)*	N/A	■	■	■	■	■	■	■	■	■	+	N/A	■
Modena (P,Z)*	N/A	■	■	■	■	■	■	■	■	■	+	N/A	■
Riverton Clear	N/A	■	■	■	■	■	■	■	■	■	+	N/A	■
Seedy Baroque	E	E	E	E	E	E	E	E	E	E	E	E	E
Wheat	N/A	■	■	■	■	■	■	■	■	■	+	N/A	■
Quattro	E	E	E	E	E	E	E	E	E	E	E	E	E
Rooftop	E	E	E	E	E	E	E	E	E	E	E	E	E
Kasumi/Travertine	E	E	E	E	E	E	E	E	E	E	E	E	E
Sable	■	■	■	■	■	■	■	■	■	■	+	+	■
Screen Dot	E	E	E	E	E	E	E	E	E	E	E	E	E
Pinhead	E	E	E	E	E	E	E	E	E	E	E	E	E
Delta Frost	E	E	E	E	E	E	E	E	E	E	E	E	E
Lexington (P)*	N/A	■	■	■	■	■	■	■	■	■	+	N/A	■
Rain	■	■	■	■	■	■	■	■	■	■	+	+	■
Madison	N/A	■	■	■	■	■	■	■	■	■	+	N/A	■
Glue Chip (P,Z)*	N/A	■	■	■	■	■	■	■	■	■	+	N/A	■
Narrow Reed	■	■	■	■	■	■	■	■	■	■	+	■	■
Clear	■	■	■	■	■	■	■	■	■	■	+	■	■
Riverton Obscure	N/A	■	■	■	■	■	■	■	■	■	+	N/A	■
Pantry	N/A	■	■	■	■	■	■	N/A	■	■	+	+	■
Laundry	N/A	N/A	N/A	N/A	E	E	E	E	E	E	E	N/A	E
Diffused White Laminate	■	■	■	■	■	■	■	■	■	■	+	■	■
Mirror	■	■	■	■	■	■	■	■	■	■	+	■	■

Note: French Door sizes for primed only. Contact your sales rep. for custom sizes.



Trimlite warrants, that each door bearing the Trimlite brand and identification mark, is of good material and workmanship and free from defects which renders them unserviceable or unfit for ordinary, recommended use. Trimlite warranty is for a period of ONE YEAR from date of shipment from Trimlite, provided the following conditions are met:

1. Manufacturing defects must be reported promptly before fitting, finishing, or hanging. Failure to do so will result in forfeiture of any warranty.
2. Provided that doors are operative, action on any claims after installation may be deferred at the option of Trimlite for a period not exceeding twelve months from date of complaint. During this time period, doors must remain hung in the original installation to permit conditioning to local humidity and temperature conditions.
3. Trimlite agrees, at our option, to either (1)repair without charge or (2)replace without charge or (3)refund original purchase price, any door that is defective within the meaning of this guarantee. Trimlite is not responsible for any costs associated with installation or finishing of replacement door or door components as well as any incidental or consequential damages, all of which will remain the sole responsibility of person making the warranty claim.
4. In the case of exterior applications, doors must be hung in a location protected from exposure to direct sun or rain under normal conditions. Refer to Care and Finishing Procedure for Wood Doors: Section: Figure 2 Overhang Guide
5. The entire door, including edges, top, bottom, and sides must receive at least two coats of an oil base paint, varnish, or sealer at the time of installation. Refer to Care and Finishing Section. (Failure to follow Trimlite finishing instructions will void any warranty.)
6. Trimlite warranty extends only to the first purchaser or retailer of said door(s) and is not transferable.

Allowable Tolerances

1. Thickness, width, and height tolerances from nominal sizes shall not exceed 1/16" plus or minus.
2. A squareness tolerance of not more than 1/8" between two diagonal measurements taken across the face of the door shall be allowed.
3. For doors 3' x 7' or smaller, deformation (bow, cup, twist, warp) shall not be considered a defect unless it exceeds 1/4" in the plane of the door itself. Warranty can apply for 1-3/4"doors up to 42"x 96" if properly installed with a three-point locking mechanism.
4. Trimlite will not warranty against warp on any doors exceeding 42" in width or 96" in height.

Exclusions

The following are not defects in workmanship or material and are not covered by this written warranty:

1. Damage caused by attempts other than Trimlite's to repair the door and/or unit.
2. Failure to properly seal the door. All edges must be sealed within 72 hours after fitting and hanging with the integrity of the finish maintained.
3. Defects caused by improper installation such that the door does not swing freely.
4. Damage cause by improper handling or on-site storage
5. Due to uncontrolled site conditions the appearance of field finished doors is not guaranteed by Trimlite.
6. Natural variations in the color or texture of the wood are not to be considered as defects.
7. Panel shrinkage is not considered a defect and would not be covered by this warranty.
8. Failure to provide normal homeowner maintenance on the door finish.
9. Doors or door components that are not finished and hung in accordance with the Care and Finishing instructions; and doors/ components that are exposed to direct sun or rain under normal conditions.

Door Policy

1. RECEIVING: Upon receiving, order must be checked for accuracy or damage. If damage is apparent, it must be noted on the delivery receipt. Claims for shipping damage or loss must be filed with the carrier by the customer. While we do our best to protect product for shipping, wood doors are rather fragile and can be easily marked so a thorough inspection by your receiving dept. is necessary. Any damage or shortages must be reported to Trimlite Customer Service within 24 hours of receipt.
2. SPECIAL ORDERS: Care must be taken to insure order accuracy. Order sheets with swing diagrams are available. Special order cancellation will not be accepted once work has begun on the unit.
3. RETURN GOODS AUTHORIZATIONS (RGA) Contact your Trimlite representative to request inspection and return authorization. All doors approved for return must be shipped back to Trimlite in the same condition in which it was shipped. Your Trimlite account manager will specify the method of return. No credit will be given for doors returned in non-saleable condition. Trimlite will refuse any product returned which does not have an RGA number.

Claim Policy

1. A representative of your firm must inspect the unit.
2. Provide purchase order number, invoice number, and original ship date.
3. Identify product and problem.
4. Provide contact names and phone numbers.
5. With the above information, Trimlite will make arrangements to go to the job site with a representative of your firm.
6. Upon establishing there is a valid warranty situation, Trimlite will repair, replace or refund the original purchase price as per the guarantee.

JELD-WEN® WINDOWS & DOORS

Interior and Exterior Door Slab and System Limited Warranty

OUR WARRANTY TO YOU...

JELD-WEN® Products¹ are designed to create lasting value for your home. This warranty is effective for JELD-WEN products manufactured on or after **May 1, 2012** for use in the United States and Canada. Any previous warranties will continue to apply to door products manufactured by JELD-WEN prior to this date. For additional information, including care and maintenance, information, refer to www.jeld-wen.com or www.jeld-wen.ca.

WHAT THIS WARRANTY COVERS

We warrant to the original owner² if your JELD-WEN Product exhibits a defect in material or workmanship within the time periods from the date of purchase as specified below, we will, at our option, repair, replace or refund the purchase price of the Product or component part. Skilled labor³ (where deemed necessary by us) to repair or replace any component is provided for **one (1)** year from the date of purchase.

Owner-Occupied Single-Family Residence Limited Warranty

Door Slabs: Except as set forth below, we warrant our door slabs, including any glass inserts, miscellaneous hardware, and accessories provided and installed by us, as follows:

Door Slab	Coverage
Fiberglass Exterior Doors	As long as you own and occupy your residence
FiberLast® Engineered Composite Exterior Doors	As long as you own and occupy your residence
Steel Exterior Doors	Ten (10) years
Wood Exterior Doors	Five (5) years
Interior Doors	Five (5) years

Factory Prefinish: We warrant the factory-applied prefinish on our doors against peeling, checking, or cracking for periods listed below. Should the factory prefinish be proven defective, we will at our option, replace or refinish the door or pay up to credit per opening to the current owner. (Note: this coverage applies to factory-applied finish coat options only; standard factory-applied primer is not a finish coat.)

Product	Coverage	Refinish Credit
Aurora® Fiberglass Doors	5 years	\$350 per opening
Custom Exterior Wood Doors	1 year	\$250 per opening
Custom Interior Wood Doors	1 year	\$150 per opening
All other Doors	1 year	\$100 per opening

Door Frames: We warrant our door frames for **one (1)** year from the date of purchase.

AuraLast® Protection for Door Slabs and Frames: Our AuraLast pine wood door slabs will be free from wood decay and/or termite damage for **twenty (20) years** from the date of initial purchase. Our AuraLast pine door frame components will be free from wood decay and/or termite damage **for as long as the original consumer owns the home** in which the AuraLast wood frames are originally installed. Warranty coverage outside Canada, the contiguous 48 states and Alaska is contingent upon approval from the JELD-WEN Customer Care Department. Please contact us.

Severe Weather® Glass: We warrant each Severe Weather glass unit for **ten (10)** years.

Retractable Screens: We warrant retractable roll screens for **five (5)** years.

Spontaneous Glass Breakage: We warrant sealed glass units installed in exterior doors (excluding laminated glass, and special glazings) for spontaneous breakage for **one (1)** year (including free replacement glass and skilled labor³ necessary to replace the glass for one (1) year. Spontaneous breakage occurs when the glass develops a crack without sign of impact.

Commercial Limited Warranty (Other than Owner-Occupied Single-Family Residence)

Fiberglass, FiberLast, Steel, Wood and Interior Door Slabs: We warrant our door slabs for **five (5)** years from the date of initial purchase.

All Other Products, Components, Prefinishes, and Options as Listed Above: Coverage is the same as for Owner-Occupied Single-Family Residences as listed above.

Transferability

This warranty is not transferable.

Continued on next page

RELIABILITY for real life®



HOW TO GET ASSISTANCE

If you have a problem with your JELD-WEN Door, immediately upon discovery, contact the distributor or dealer from whom you purchased our product or contact us directly:

In the United States:

Mail: JELD-WEN Customer Care
Attn: Door Warranty Claims
P.O. Box 1329, Klamath Falls, OR 97601
Phone: 800-JELD-WEN (800-535-3936)
Fax: 800-436-5954
Email: CustomerServiceAgents@jeld-wen.com
Web: www.jeld-wen.com/contact-us

In Eastern Canada:

Mail: JELD-WEN Service Department
90, rue Industrielle
Saint-Appollinaire, Quebec, Canada G0S 2E0
Phone: 800-463-1930
Fax: 888-998-1599

In Western Canada:

Mail: JELD-WEN Service Department
550 Munroe Avenue
Winnipeg, Manitoba, Canada R2K 4H3
Phone: 888-945-5627
204-668-8230
Fax: 204-663-1072
Email: wpgservice@jeld-wen.com

We can respond quickly and efficiently if you provide the following: a) date and location of purchase, or product

identification from the tag on the top edge of the slab, b) how to contact you, c) the address where the product can be inspected, and d) a description of the apparent problem and the product (photographs are helpful).

What We Will Do

Upon receiving your notification, we will send out an acknowledgement within three business days to the contact, which you have provided. We will investigate your claim and will begin to take appropriate action within 30 days after receipt of notification. If your warranty claim is denied, we may charge an inspection fee for an onsite inspection that is required or requested by you.

If your claim is accepted, and we choose to repair or replace the product or a component of the product, the replacement product/component will be provided in the same specification as the original product. Replacement products, components and services are warranted for the balance of the original product or service warranty, or 90 days, whichever is longer.

If the claimed nonconformity is warp of a door slab, we may defer repairing or replacing the door slab for a period up to 12 months from the date of claim. It is not uncommon for a temporary warp condition to occur as the door slab adjusts to local humidity and temperature conditions. This deferral will not be counted against the warranty period.

Product Purchase Date: _____
Order Number: _____

WHAT THIS WARRANTY DOES NOT COVER

JELD-WEN manufactures and sells both individual door slabs and complete door systems. This warranty does not cover parts or components (e.g., locksets, handles, etc.) not sold by JELD-WEN to the original owner. See your distributor or dealer regarding the warranty on the entire door system and/or these other components.

We are not liable for:

- Normal wear and tear, including normal wear and tear of weatherstrip; and natural weathering of surfaces or variations in the color or texture of wood or finish; surface cracks that are less than 1/32" in width and/or 2" in length; for knotty alder and juniper: surface checks that are less than 1/8" in width and/or 5" in length, and knot placement, quantity, or size.
- Problems due to misuse or abuse; failure to follow the care and maintenance instructions; or as a result of any cause beyond our reasonable control (e.g. fire, flood, earthquake, other acts of nature, and acts of third parties outside of our control).
- Problems related to: improper field finishing of all surfaces (front and back) and edges (top, bottom, and sides) of the door slab and frame (See our Finishing Instructions at www.jeld-wen.com/resources); variation or unsatisfactory results in sheen or texture resulting from the field application of paint or any other finishing material.
- Failure to provide an adequate overhang for exterior doors; damage caused by extreme temperature buildup where storm doors are present. For general guidelines, see our "Appropriate Protection for Exterior Doors" in our product literature or at www.jeld-wen.com/resources; for specific information pertaining to your structure, consult your contractor or other building professional.
- Warp for any 3'6" wide by 8' 0" high by 1 3/4", or smaller door slab, which does not exceed 1/4" in the plane of the door slab itself; door slabs wider and/or higher are not guaranteed for warp.
- Bow or misalignment in the frame or jamb in which the door slab is hung (if such is purchased from JELD-WEN unmachined and not prehung).
- Slight expansion or contraction due to varying environmental conditions; slab movement (shrinkage or swelling) of 1/4" or less due to temperature and humidity, consult our Care & Maintenance documents on how to work with this natural movement.
- Wood decay for wood components other than of AuraLast pine; and wood decay for any wood components (including pine) that come in direct contact with soil. Note: superficial mold/mildew does not indicate wood decay.

Continued on next page

- Problems related to water and/or air infiltration due to improper assembly; installation errors or flaws in building design and construction; installation must be in strict conformance with the installation instructions provided by the manufacturer of the door entry system.
- Structural integrity issues or other problems caused by improper field fitting of the hardware, improper sizing of the door slab, or other assembly problems.
- Slight imperfections or wavy distortions in the glass that don't impair structural integrity. Note: wavy distortions in the glass (e.g. related to laminate interlayer or heat strengthening of glass) are not considered a defect. Slight color variations in glass are not considered a defect.
- Screen damage due to normal wear and tear, misuse, abuse, or insect or animal activity.
- Condensation or damage as a result of condensation (Note: unless due to insulating glass failure, most condensation problems are related to excessive humidity levels in a structure; contact a heating/air conditioning specialist for help).
- Damage or poor product performance resulting from installation into a condition that exceeds product design standards and/or certified performance specifications and/or does not comply with applicable building codes.
- Hardware, accessories or inserts that are not provided by us.
- Discoloration or rusting of decorative metal accent options, such as grilles, clavos, straps, etc.; discoloration of wood sills provided by us.
- Cost for labor, removal or disposal of defective product(s), installation or finishing of the replacement door or component.
- Incidental or consequential damage. Some states/provinces do not allow the exclusion or limitation of incidental or consequential damages, so this may not apply to you.

Important Legal Information -- Please read this carefully. It affects your rights.

This Limited Warranty document sets forth our maximum liability for our products. We shall not be liable for special, indirect, consequential, or incidental damages. Your sole and exclusive remedy with respect to any and all losses or damages resulting from any cause whatsoever shall be as specified above. We make no other warranty or guarantee, either express or implied, including implied warranties of merchantability and fitness for a particular purpose to the original purchaser or to any subsequent user of the Product, except as expressly contained herein. In the event state or provincial law precludes exclusion or limitation of implied warranties, the duration of any such warranties shall be no longer than, and the time and manner of presenting any claim thereon shall be the same as, that provided in the express warranty stated herein. This Limited Warranty document gives you specific legal rights, and you may have other rights that vary from state/province to state/province.

Any dispute, controversy or claim arising out of or relating to this warranty, any alleged breach thereof, or the use or sale of the products to which this warranty applies shall be resolved by mandatory and binding arbitration administered by the American Arbitration Association in accordance with its commercial arbitration rules. Original purchaser agrees that they may assert claims against JELD-WEN in their individual capacity only, and not as a plaintiff or class member in any purported class action proceeding. Rejection of these dispute resolution provisions must be sent to JELD-WEN at the address provided herein within thirty (30) days of original purchaser's receipt of the Products to which this warranty applies.

No distributor, dealer or representative of JELD-WEN has the authority to change, modify or expand this warranty. The original purchaser of this Product acknowledges that they have read this warranty, understand it and are bound by its terms and agrees to provide this warranty to the original owner of the structure into which the Product is installed.

¹"JELD-WEN Products" shall refer to interior and exterior door slabs and systems manufactured in the United States and marketed under the JELD-WEN brand name for use in the United States and Canada. See our separate Export Warranty for applicable coverage on products used outside the United States and Canada.

²This warranty extends to the original owner (original owner means the contractor/dealer/distributor/purchaser and the initial owner of the structure where the product is initially installed) and is not transferable. The original purchaser of this product acknowledges that they have read this warranty, understand it and are bound by its terms and agrees to provide this warranty to the original owner of the structure into which the product is installed. Should state or provincial law preclude no transferability, then the warranty period is effective as applicable up to **five (5)** years from the date of initial purchase for door slabs and systems and **one (1)** year from the date of manufacture for the factory pre-finish.

³"Skilled labor" refers to tasks where specialized technical knowledge, experience, methods or tools are required to properly identify, diagnose and/or correct product-related problems.

© 2012, JELD-WEN, inc. | JELD-WEN, the JW icon, AuraLast, Aurora, FiberLast and Reliability for real life are trademarks or registered trademarks of JELD-WEN, inc., Oregon, USA. All other marks are the property of their respective owners.



Canada

WEST

SURREY, BC

T 604.533.4111

TF 877.533.4111

F 604.533.2026

EAST

BURLINGTON, ON


T 905.335.1559

TF 888.335.1559

F 905.335.6464

www.trimlite.com

info@trimlite.com



DEALER STAMP

USA

WEST

RENTON, WA

T 425.251.8685


TF 800.929.3371

F 425.251.8999

EAST

ASHTABULA, OH

TF 800.929.3371



TRIMLITE