

# GARDEN PATIO







## LET THE SUN SHINE IN

Madero Garden Patio Doors are ideal for creating a spectacular view with full access to the outdoors.

STEP 1 Choose Your Products 4-5
Steel Patio Door Systems4
Fiberglass Patio Door Systems5
STEP 2 choose Your Configuration 6-13
Single Hinged Door8-9
Double Hinged Door
Garden Venting Door
STEP 3 customize With Glass14-19
Clear Low-E Glass
Enclosed Mini Blinds Low-E16-17
Window Grilles Low-E18-19
STEP 4 Prefinishing Options20-21
STEP 5 specifications22-23
Steel & Fiberglass Product Features
Features
Determine Size24-25
Finished Frame Widths24
Rough Opening Measurements24
Brickmould Outside Measurements24
Product Availability Chart25
Ordering Checklist27



## STEP 1 Choose Your Products

Madero offers a variety of product pairings to meet the specific needs of our customers. Select from steel or fiberglass doors and from wood or composite frames.

For features, sizes and benefits related to each of these products, please refer to pages 22-25.

## **Steel Garden**

Patio Door Systems



STEELCOMP

High Definition Steel Door Premium Wood Frame

High Definition Steel Door Premium Smooth White Composite Frame



## Fiberglass Garden

Patio Door Systems



Smooth White Fiberglass Door Premium Wood Frame



Smooth White Fiberglass Door Premium Smooth White Composite Frame



Woodgrain Fiberglass Door Premium Woodgrain Composite Frame





## **STEP 2** Choose Your Configuration



### **Garden Patio Doors**

Madero Garden Patio Doors offer three select choices for your new construction or renovation project. All types are offered in a variety of sizes to fit your project.



#### Single Hinged Garden Patio Doors

#### One Door Active | One Door Fixed

Ideal for accommodating multiple doors — creating a spectacular view

One door is fixed while the other opens as an active door. Fixed doors create the illusion of a full lite sidelite, allowing additional sunlight to fill your room and provide a full view of the outdoors. Additional fixed panels can be added, to a maximum of four.

Shown as LH Inswing



#### **Double Hinged** Garden Patio Doors

#### One Door Active | One Door Inactive

Full clearance double door system – provides the beauty of a garden patio door with full access to the outdoors

Complete with a multipoint astragal, this product allows the inactive door to be securely locked and sealed or active as required. Active door must be double drilled.

Shown as Outswing



#### **Garden Venting Patio Doors**

#### One Door Active | One Door Venting

Designed to provide easy access to outdoor living spaces — as well as ventilation and natural light

These garden doors feature the active door as a typical swing door with optional sash lock. Specify single or double drilling. The venting door is complete with standard screen, roto hardware, and sash locks with tie bar.

Available as 6/8 Outswing only





# **Single Hinged**Garden Patio Doors

#### One Door Active | One Door Fixed

Ideal for accommodating multiple doors — creating a spectacular view

#### Maximum View & Full Sunlight

One door is fixed while the other opens as an active door. Fixed doors create the illusion of a full lite sidelite, allowing additional sunlight in to fill your room and provide a full view of the outdoors. Select your configuration; inswing or outswing, left or right handed. Additional fixed panels can be added, to a maximum of four. Please contact your sales representative for details.

## Inswing - 6/8 or 8/0 Option



4 9/16" Jamb 1.4 - GP 4 RHINPOST AF 6 9/16" Jamb 1.6 - GP 6 RHINPOST AF



4 9/16" Jamb 2.4 - GP 4 LHINPOST FA 6 9/16" Jamb 2.6 - GP 6 LHINPOST FA



4 9/16" Jamb 3.4 - GP 4 LH IN AF 6 9/16" Jamb 3.6 - GP 6 LH IN AF



4 9/16" Jamb 4.4 - GP 4 RH IN FA 6 9/16" Jamb 4.6 - GP 6 RH IN FA

## Outswing - 6/8 or 8/0 Option



4 9/16" Jamb 7.4 - GP 4RO POST AF 6 9/16" Jamb 7.6 - GP 6RO POST AF



4 9/16" Jamb 8.4 - GP 4LO POST FA 6 9/16" Jamb 8.6 - GP 6LO POST FA



4 9/16" Jamb 9.4 - GP 4LO AF 6 9/16" Jamb 9.6 - GP 6LO AF



4 9/16" Jamb 10.4 - GP 4RO FA 6 9/16" Jamb 10.6 - GP 6RO FA





# **Double Hinged**Garden Patio Doors

#### One Door Active | One Door Inactive

Full clearance double door system —provides the beauty of a garden patio door with full access to the outdoors

#### Secure Performance For Your Door System

Complete with multipoint astragal, this product allows the inactive door to be securely locked and sealed, or active as required. Active door must be double drilled. Select your configuration; inswing or outswing, left or right handed. Steel or smooth white fiberglass systems will have a white astragal, textured woodgrain will have a bronze astragal.

NOTE: Astragals will not accept paint or stain

## Inswing - 6/8 or 8/0 Option



4 9/16" Jamb 5.4 W - GP 4 WHT LHIN 6/8 AA 6 9/16" Jamb 5.6 W - GP 6 WHT LHIN 6/8 AA



4 9/16" Jamb 6.4 W - GP 4 WHT RHIN 6/8 AA 6 9/16" Jamb 6.6 W - GP 6 WHT RHIN 6/8 AA

## Outswing - 6/8 or 8/0 Option




4 9/16" Jamb 11.4 W - GP 4LO WHT 6/8 AA 6 9/16" Jamb 11.6 W - GP 6LO WHT 6/8 AA



4 9/16" Jamb 12.4 W - GP 4RO WHT 6/8 AA 6 9/16" Jamb 12.6 W - GP 6RO WHT 6/8 AA

#### **MULTI-POINT ASTRAGAL**

Patented lock pawls are activated by the deadbolt to engage keepers in the active door, providing three locking points. This prevents deflection and air or water infiltration.



2 Lower Multi-Point Lock Pawl

3 Flip-Lever Activates Floating Boot

4-Way Adjustable Strike

Multi-Point Lock Actuator

6 Upper Multi-Point Lock Pawl

Upper Flush Bolt





## **Garden Venting** Garden Patio Doors

#### One Door Active | One Door Venting

Designed to provide easy access to outdoor living spaces - as well as ventilation and natural light.

#### Let In A Burst of Fresh Air

Garden venting doors feature the active door as a typical swing door (outswing only) with optional sash lock. Product comes complete with standard screen mounted to the inside of the venting door, roto hardware, and sash locks with tie bar. Select left or right handed configuration and specify single or double drill. Steel and smooth white fiberglass default hardware is white (unless specified), textured woodgrain default hardware is bronze (unless specified).

Clips open for access to exterior of window for easier cleaning



Screen & Roto Truth Hardware allow the venting side to open for maximum air circulation



Sash Locks & Tie Bar Locking System provide both extra security, and a weatherseal fit

# better from every perspective









Coppertone

Bronze

Black

For over 50 years, Truth Hardware has been recognized as the industry leader in the design and manufacture of quality operating hardware.

This hardware meets or exceeds the maximum performance requirements that are sought in today's market of larger venting doors. Truth Hardware has been long recognized for its vast array of quality finishes and its ability to provide the most attractive, easiest operating and highest performing window hardware.

Madero Garden Patio Doors include Truth Hardware operators with standard collapsible handles to avoid interference with blinds.

## Outswing - 6/8 only



4 9/16" Jamb 9.4 - GP 4LO WHT ACT-VENT 6 9/16" Jamb **9.6** - GP 6LO WHT ACT-VENT



4 9/16" Jamb 10.4 - GP 4RO WHT VENT-ACT 6 9/16" Jamb 10.6 - GP 6RO WHT VENT-ACT

<sup>\*</sup> Rectangular transoms are available for all units, with clear dual Low-E or 5 lite internal white grille option





## **Garden Patio Door Glass Options**



**Clear** Low-E

A perfect choice for the unobstructed view of your outdoor spaces.



**Clear Triple** Low-E

Adding a second Low-E pane to your door for triple glazing will boost its energy efficiency.



**Enclosed** Mini Blinds

Blinds lower neatly within full privacy channels to eliminate light gaps. Uniform color in components provides a clean aesthetic look. Low-E coating.



#### Window Grille Glass

Between the glass internal 5/8" grilles provide the beauty of a true divided light with ease of cleaning. Low-E glass to maximize energy efficiency.



## **C** Low-E Coated Door Glass

Low-E glass is made with an invisible thin metallic coating that blocks heat flow.

A proven energy saver, Low-E glass reduces air conditioning costs by reducing solar transmissions in the summer. In the winter, it reduces heat loss to the outside and allows solar energy to pass inside.

It also reduces fading of carpet and furniture.



Blocks ultraviolet rays



Allows solar energy in







## **Enclosed** Mini Blinds

Raise | Lower | Tilt

Enclosed Between Glass and Easily Adjusted with a Single Operator



## Private, Convenient & Maintenance-Free

The single operator lets you raise, lower or tilt the blinds in an easy, slight movement. Blinds adjust for complete light block, and the privacy channels on each side eliminate light gaps when the blinds are closed. Enclosed blinds are sealed tight to eliminate dusting.

Glass options are provided with energy saving Low-E glass.











#### 5/8" Flat Grille between Clear Low-E glass

#### **Rectangle Grille**

- All sizes except 2/4
- 10 Lite and 15 Lite 6/8 only
- 12 Lite and 18 Lite 8/0 only

#### **Prairie Grille**

- All sizes except 2/4
- 6/8 and 8/0 height

## Window Grille Door Glass


#### **Grille Between Low-E Glass**

Classic Design with Modern Features to Complement Traditional Homes

#### Easy-to-Clean & Energy Efficient

Internal 5/8" grilles provide the beauty of a true divided light with ease of cleaning. Low-E glass to maximize energy efficiency

Choose from 5/8" Standard Rectangle Grille or Prairie Grille to match the architectural detailing of your home.



#### **Prairie Grille**



9 Lite 8/0 612-PIM 496-PIM



9 Lite 6/8 686-PIM 687-PIM

#### **Rectangle Grille**



18 Lite 8/0 612-GBG 496-GBG



12 Lite 8/0 612-GBG 496-GBG 487-GBG



15 Lite 6/8 686-GBG 687-GBG




10 Lite 6/8 686-GBG 687-GBG 624-GBG















Madero has identified and selected some of the more popular paint and stain colours. Streamline the colour matching process for your project by selecting from Madero's popular colour choices.



Printed swatch colours may vary slightly from actual product. If you are concerned about exact colour match, we recommend you first request a product sample for accuracy.

















#### Finish With Ease

**Steel doors** are supplied with a polytex finish. Painting is not required.

Smooth white fiberglass doors are supplied in natural pre-pigmented warm white finish. Painting is not required, however, the door will accept an array of paint colours to match your home.

**Woodgrain** fiberglass doors are supplied with factory almond finish, requiring paint or stain.

For dark coloured finishes, heat reflective paint is required to achieve a full warranty.









## STEEL DOORS **High Definition Steel Slab** Premium Wood Frame The door is cut out to accept door glass




STEELCOMP

**High Definition Steel Slab Premium Smooth White** Composite Frame







#### Durability

Door skins interlock with the stile, providing additional support to reduce delamination and stretching.

#### Strength and Security

16" wood lock block provides strength and security while accommodating double bore lockset/deadbolt.

#### **Energy Efficient**

Filled with an insulating core of 100% CFCfree polyurethane foam, providing better energy ratings than a standard styrene core product.



#### Steel Flush Door (ED00)

The 24 gauge steel slab is cut out in manufacturing to accept the Evolve® insert with glass.

The high performance Evolve® frame material provides superior rigidity and eliminates bothersome squeeze-out through the use of a compression foam tape seal. This latest innovation reduces scalloping, corner flare, and warping. The Evolve® HP frame does not require finishing, but can be painted to match your door colour.

## FIBERGLASS DOORS

Madero's fiberglass door systems are specifically designed to withstand the harsh Canadian climate.



Smooth White Fiberglass Door Premium Wood Frame

## **FIBER**COMP

Smooth White Fiberglass Door Premium Smooth White Composite Frame



Woodgrain Fiberglass Door Premium Woodgrain Composite Frame



The fiberglass skins are resistant to dents, dings, splintering and corrosion. Composite stiles will not splinter like wood or deteriorate like steel.

#### **Exceptional Security**

Our full length steel reinforced wood lock block offers exceptional security while allowing a range of hardware mounting options.

#### **Energy Efficiency**

Filled with an insulating core of 100% CFC-free polyurethane foam, providing an excellent R rating, while bonding the two door skins together.

#### **Performance**

Rigid structure prevents bowing and warping in extreme temperatures.

## Completely Waterproof Hydro Shield

Crafted with Hydroshield technology, the composite stiles and rails will never absorb water, eliminating rotting or swelling associated with wood.







#### Fiberglass Flush Door (SG00, WG00)

The fiberglass slab is cut out in manufacturing to accept the Evolve® insert and glass. The Evolve® insert has the highest quality standards in the industry today.



#### Fiberglass Standard View (WG12, WG12)

Flush glazed slab provides sleek lines to give the perception of an enhanced viewing area. Smooth white or oak woodgrain is consistent

from door edge to glass. Manufactured as a one piece open and beaded mould with glass installed during assembly.

## **COMPLETE FRAME SYSTEM**

Madero exterior door systems are designed with high-quality components, ensuring every product incorporates a superior frame structure. All frame systems include premium extruded aluminum sill, hinges, weatherstripping and 2" 180 step brickmould (wood or composite) to complete the design.

## GARDEN PATIO

YEAR
Limited
Manufacturer's
Warranty on Frame
Components

#### **Frame Components**

All of Madero's door frame systems are constructed with either wood or composite jamb and brickmould components. Available in 4-9/16", 6-9/16" or 8-9/16" jamb depths.

#### Composite

Woodgrain textured or pre-pigmented smooth white frame components are a blend of PVC and wood fiber composite substrate. Composite







MAINTENANCE FREE DOESN'T REQUIRE PAINT

DESIGNED FOR THE CANADIAN CLIMATE

SECURE AGAINST FORCED ENTRY

will not discolour, absorb moisture, splinter or rot. Smooth white composite does not require paint while woodgrain composite is supplied in its raw almond finish, requiring paint or stain to achieve a realistic, rich appearance.

#### Wood

Kiln dried, primed finger-joint pine—double primed for quality performance and ease of painting. Wood frame requires paint on all exposed surfaces within 45 days of purchase.



#### SnapLock Nailing Fin


(Composite only)

Incorporating a hingestyle design, Madero's SnapLock nailing fin snaps into place for new home construction or can be scored and trimmed if not required.





#### **Weather-Tight Solution**



#### Extended Reach Weatherstrip

Compression weatherstrip seals tight when the door is closed and expands when opened, providing a long-lasting weather tight solution.




Gaskets & Seal Pads

Gaskets and corner seal pads allow for uniform seal pressure, enhancing the weather barrier within the frame, and providing another level of protection from the elements.



**Adjustable Strike** 

Adjustable strike plates provide a snug fit between the door and jamb, guaranteeing a secure connection with the latch and reducing rattling within the frame. Not available on a double hinged system.



Sill & Bottom Sweep

Combination of sill and sweep provide a tight seal against moisture infiltration at the bottom of the door system.



## **STEP 5** Determine Frame Size

## Finished Frame Widths

SINGLE HINGED	Net Frame Width
2/4 + 2/4	59"
2/6 + 2/6	63"
2/8 + 2/8	67"
2/10 + 2/10	71"
3/0 + 3/0	75"

DOUBLE HINGED	Net Frame Width
2/4 + 2/4	58 1/4"
2/6 + 2/6	62 1/4"
2/8 + 2/8	66 1/4"
2/10 + 2/10	70 1/4"
3/0 + 3/0	74 1/4"

GARDEN VENTING	Net Frame Width
2/6 + 2/6	63"
2/8 + 2/8	67"
2/10 + 2/10	71"
3/0 + 3/0	75"

GARDEN RENOVATOR*	Net Frame Width
5/0	59" X 79 1/4"
6/0	71" x 79 1/4"
* Steel door or	nly

## Finished Frame Heights

INSWING	Net Frame Height	OUTSWING	Net Frame Height
6/8	82"	6/8	81"
8/0	98"	8/0	97"

## **Rough Opening**

## Measurements

To calculate rough opening, add 1" to width and add 1/2" to height of net frame. For transom, add  $15 \, 3/4"$  to height of net frame.

# **Brickmould Outside**Measurements (OSM)

To calculate the outside measurement of brickmould, add 2 1/2" to width and add 1 1/4" to height of net frame.



## **Product** Availability Chart

6/8 - Standard Frame Glass Insert (ED00, SG00, WG00)

	2/6	2/8	2/10	3/0	5/0	6/0
Premium	<b>~</b>	<b>~</b>	<b>V</b>	<b>~</b>	<b>V</b>	V
SteelComp	<b>~</b>	<b>~</b>	<b>V</b>	<b>V</b>	<b>V</b>	<b>~</b>
Plus	<b>V</b>	<b>V</b>	<b>V</b>	<b>V</b>	X	X
FiberComp	<b>V</b>	<b>V</b>	<b>V</b>	<b>V</b>	X	X
Entrada	<b>V</b>	V	<b>V</b>	<b>V</b>	X	X

6/8 - Flush Glazed Fiberglass Only (SG12, WG12)

	2/6	2/8	2/10	3/0
Premium	×	X	X	×
SteelComp	×	×	X	X
Plus	<b>~</b>	<b>V</b>	<b>V</b>	V
FiberComp	<b>~</b>	<b>V</b>	<b>V</b>	V
Entrada	<u> </u>	•		V

8/0 - Standard Frame Glass Insert (SG00, WG00)

	2/6	2/8	2/10	3/0
Premium	X	×	×	×
SteelComp	×	×	×	×
Plus	X	×	X	×
FiberComp	<b>~</b>	<b>V</b>	<b>V</b>	<b>V</b>
Entrada	<b>V</b>	<b>V</b>	<b>V</b>	<b>V</b>

8/0 - Flush Glazed Fiberglass Only (SG12, WG12)

	2/6	2/8	2/10	3/0
Premium	×	×	X	X
SteelComp	×	×	X	X
Plus	X	×	×	×
FiberComp	<b>V</b>	<b>V</b>	<b>V</b>	V
Entrada	<b>V</b>	_	<b>V</b>	_



## **ORDERING CHECKLIST**



STEP 1	Choose door/fram	ne pairing: flush slab wit	th insert or flush alozed	d (fiheraloss only)			
Choose Your	□ PREM	STC			□ 00	□ EN	□ 00
Product	PREMIUM	STEELCOMP (1)	PLUS □ 12	FIBERCOMP	□ 12	Entrada <sup>®</sup>	□ 12
	High Definition Steel Door Premium Wood Frame	High Definition Steel Door Premium Smooth White Composite Frame	Smooth White Fiberglass Door Premium Wood Frame	Smooth White Fiberglass Door Premium Smooth White Compos Frame	ite	Woodgrain Fiberglass Door Premium Woodgrain Composite Frame	
CTED O	Choose garden pa	atio door system configu	ration:		'	composite riame	
STEP 2	Single Hinged	-		Double Hinged	l Options:	Venting	g
Choose Your Configuration	Active-Fixed	Fixed-Active Active-Fi		Active-Active	Active-Active	Active-Vent	
	Right Hand Inswing Hinged Center Post	Left Hand Inswing Left Hand Hinged Center Post	d Inswing Right Hand Inswing	Left Hand Inswing	Right Hand Inswing	Left Hand Out	swing
	Active-Fixed Right Hand Outswing Hinged Center Post	Fixed-Active Left Hand Outswing Hinged Center Post	ked Fixed-Active Right Hand Outswing	Active-Active Left Hand Outswing	Active-Active Right Hand Outswing	Vent-Active Right Hand O	utswing
CTED O	Choose door lite g	glass:		If transom	required:		
STEP 3	☐ Clear Dual Low		-E 🗆 Enclosed Mini B		•		
Customize with Glass	White Grille: 🗌 9	Lite 🗆 10/12 Lite [	□ 15/18 Lite	☐ 5 Lite In	ternal White Gr	ille	
STEP 4	Stain Options: (Fo	or textured fiberglass on	<i>ly)</i> Paint Options	5:			
Prefinishing Options	Red Walnut	Black Coffee Chestnut	Grey Espresso Cranb	erry Stone Tangerine E	Buttercup   Cadet Navy	☐ Melon ☐ Paprika	☐ Black
STEP 5  Determine Size	Width: □ 2/6 - 2			□ 3/0 - 3/0 (75")	Height:	□ 6/8 □ 8/0	
	Choose jamb dept  ☐ 4-9/16" ☐ 6	th: -9/16"	Default brickmould:	·	e 🗌 Brickm	ould not require	d
	Choose aluminum	ı sill: 🗌 Standard (Mill	Finish) 🗌 Bronze Anod	lized			
HARDWARE:	Specify your hinge	e finish:					
	C-2G Zinc Plated	C-4 Brushed Brass	C-10B Oil Rubbed Bronze	C-26D Brushed Chrome	C-ID Matte Black		
	Choose desired ha	ardware drilling prep:					
		☐ SD (Single Drill) ☐ [					
	INACTIVE DOOR	☐ Blank ☐ Single Dr	ill (No Edge Bore) 🔲 I	Double Drill (no edge bo	re)		
Customer	Signature:			Date:			
Store Nam	30 or #-	Ta	a.	DO:	#.		



#### **Make Your Grand Entrance.**

Looking for a high quality, complete door and hardware package for your home? Madero offers a wide array of door designs and configurations with highly customizable glass and hardware options suitable for both interior and exterior applications.



**Entry Doors** 



**Designer Entry Doors** 



Artisan Doors



Interior Doors



Multi-Family



Commercial

**Calgary** 

T 1.800.667.6977 • F 1.403.204.7665

Saskatoon

T 1.800.667.6977 • F 1.306.934.7644

Winnipeg

T 1.800.667.6977 • F 1.204.594.0201

Visit us at:

www.madero.ca

Brochure design by



