







Masonite is committed to delivering unsurpassed performance in interior and exterior doors and glass products. We provide much more than a door; we deliver a total experience, giving you a complete line of products, services and support tools designed to enhance curb appeal and the interior aesthetics of a home.

We are your leading source for the latest trend insights and design ideas, delivering distinctive doors that complement any style and personal taste. From the crisp, clean lines of our Heritage Series, to the versatility of our molded panel collection, we offer a breadth of interior doors to meet any design, performance and material need. It's never been easier to find the perfect door for your home.

Solid Core Doors // 02
Interior Doors // 04

Heritage Series... // 08
West End Collection. // 10
Molded Panel Doors // 12

Flush Series // 14
Emerald. "Green" Doors // 15





Masonite is committed to delivering unsurpassed performance in interior and exterior doors and glass products. We provide much more than a door; we deliver a total experience, giving you a complete line of products, services and support tools designed to enhance curb appeal and the interior aesthetics of a home.

We are your leading source for the latest trend insights and design ideas, delivering distinctive doors that complement any style and personal taste. From the crisp, clean lines of our Heritage Series, to the versatility of our molded panel collection, we offer a breadth of interior doors to meet any design, performance and material need. It's never been easier to find the perfect door for your home.

Solid Core Doors // 02
Interior Doors // 04

Heritage Series... // 08
West End Collection. // 10
Molded Panel Doors // 12

Flush Series // 14
Emerald. "Green" Doors // 15



A SOUND DECISION SOLID CORE DOORS

We are on a mission to put solid core doors in every home. Made of solid material all the way through, they feel more substantial and block sound more effectively. For minimal cost, solid core doors create a dramatic improvement in overall quality.

- ► Solid core doors are **SOUND REDUCING** they block sound more efficiently than hollow doors.
- Solid core doors are simply built better with a strength you can FEEL the moment you open the door.
- Solid core doors are DURABLE, able to withstand the dents and dings of normal wear.

It's time for a better door experience.

Make solid core doors the STANDARD.



A SOUND DECISION SOLID CORE DOORS

We are on a mission to put solid core doors in every home. Made of solid material all the way through, they feel more substantial and block sound more effectively. For minimal cost, solid core doors create a dramatic improvement in overall quality.

- ► Solid core doors are **SOUND REDUCING** they block sound more efficiently than hollow doors.
- Solid core doors are simply built better with a strength you can FEEL the moment you open the door.
- Solid core doors are DURABLE, able to withstand the dents and dings of normal wear.

It's time for a better door experience.

Make solid core doors the STANDARD.

Interior Doors

AT A GLANCE

Our dedication to superior craftsmanship allows us to deliver unsurpassed quality and value in interior doors. We offer a comprehensive selection of door styles—all crafted with exacting attention to detail.

LIVINGSTON.



► Unique, versatile, and timeless design perfect for any style of home.



► Celebrate traditional

craftsmanship with clean

with their surroundings.

lines that blend seamlessly

WEST END



Embrace the beauty of minimalism with the sophisticated, streamlined look of embossed lines.



MOLDED PANEL DOORS



Add a defining element to any space with familiar designs that offer timeless appeal.





Interior Doors

AT A GLANCE

Our dedication to superior craftsmanship allows us to deliver unsurpassed quality and value in interior doors. We offer a comprehensive selection of door styles—all crafted with exacting attention to detail.

LIVINGSTON.



► Unique, versatile, and timeless design perfect for any style of home.



► Celebrate traditional

craftsmanship with clean

with their surroundings.

lines that blend seamlessly

WEST END



Embrace the beauty of minimalism with the sophisticated, streamlined look of embossed lines.



MOLDED PANEL DOORS



Add a defining element to any space with familiar designs that offer timeless appeal.





$Livingston_*$

LIVINGSTON_{TR}





- Unique, versatile and timeless design perfect for any style of home
- ► Smooth, primed surface ideal for painting
- ► Full range of passage and bifold doors
- ► Safe 'N Sound, solid core construction available for better durability, sound reduction and the heft and feel of a wood door
- ➤ 20-minute fire-rating doors available for select heights & designs (1-3/4" width only)

$Livingston_*$

LIVINGSTON_{TR}





- Unique, versatile and timeless design perfect for any style of home
- ► Smooth, primed surface ideal for painting
- ► Full range of passage and bifold doors
- ► Safe 'N Sound, solid core construction available for better durability, sound reduction and the heft and feel of a wood door
- ➤ 20-minute fire-rating doors available for select heights & designs (1-3/4" width only)



HERITAGE SERIES.

AUTHENTIC ARCHITECTURAL DETAIL





- Clean lines convey traditional craftsmanship and blend seamlessly into surroundings
- ► Smooth, primed surface ideal for painting
- ► Full range of passage and bifold doors
- ➤ Safe 'N Sound solid core construction available for better durability and sound reduction with the heft and feel of a wood door
- ➤ 20-minute fire-rated doors available for select heights and designs (1-3/4" width only)



HERITAGE SERIES.

AUTHENTIC ARCHITECTURAL DETAIL





- Clean lines convey traditional craftsmanship and blend seamlessly into surroundings
- ► Smooth, primed surface ideal for painting
- ► Full range of passage and bifold doors
- ➤ Safe 'N Sound solid core construction available for better durability and sound reduction with the heft and feel of a wood door
- ➤ 20-minute fire-rated doors available for select heights and designs (1-3/4" width only)

WEST END COLLECTION.





- ► A streamlined look and sophisticated, embossed lines embody minimalism
- ► Smooth, primed surface ideal for painting
- ► Full range of passage and bifold doors
- ➤ Safe 'N Sound solid core construction available for better durability and sound reduction with the heft and feel of a wood door
- ▶ 20-minute fire-rated doors available for select heights and designs (1-3/4" width only)

WEST END COLLECTION.





- ► A streamlined look and sophisticated, embossed lines embody minimalism
- ► Smooth, primed surface ideal for painting
- ► Full range of passage and bifold doors
- ➤ Safe 'N Sound solid core construction available for better durability and sound reduction with the heft and feel of a wood door
- ▶ 20-minute fire-rated doors available for select heights and designs (1-3/4" width only)

6 Panel Smooth or Textured 2 Panel Arch-Top 2 Panel 2 Panel Roman **Cheyenne**. 2 Panel Camber-Top Plank 4 Panel Riverside. 5 Panel Equal Smooth Smooth Smooth


MOLDED PANEL DOORS







- Familiar designs with universal appeal add a defining element to any space
- Perfect for painting
- ► Full range of passage and bifold doors
- ▶ Safe 'N Sound, solid core construction available for better durability and sound reduction with the heft and feel of a wood door
- ▶ 20-minute fire-rated doors available for select heights and designs (1-3/4" width only)



10+" Bottom Rail Satisfies ADA Requirements

13

6 Panel Smooth or Textured 2 Panel Arch-Top 2 Panel 2 Panel Roman **Cheyenne**. 2 Panel Camber-Top Plank 4 Panel Riverside. 5 Panel Equal Smooth Smooth Smooth


MOLDED PANEL DOORS







- Familiar designs with universal appeal add a defining element to any space
- Perfect for painting
- ► Full range of passage and bifold doors
- ▶ Safe 'N Sound, solid core construction available for better durability and sound reduction with the heft and feel of a wood door
- ▶ 20-minute fire-rated doors available for select heights and designs (1-3/4" width only)



10+" Bottom Rail Satisfies ADA Requirements

13

FLUSH SERIES

DURABLE. LOW MAINTENANCE.








Hardwood

Eco-Friendly Engineered Emerald "Green" Doors



LEED V4 CREDIT	SAFE 'N S	OUND, EMERALD,	HOLLOW	CORE EMERALD
	Molded Panel	Flush Primed MDF	Molded Panel	Flush Primed MDF
Home				
Environmentally preferable products	•	•	•	•
Low-emitting products	•		•	•
New Construction				
Building product disclosure and optimization—sourcing of raw materials	•	•	•	•
Low-emitting materials	•	•	•	•
Acoustic performance	•	•		

TECHNICAL & SUPPORT INFORMATION ON EMERALD, "GREEN"

- ▶ This product contributes to satisfying the credits of the U.S. Green Building Council's LEED. Green Building Rating System.. For current applicable LEED, standards, visit www.usgbc.org.
- ▶ Evaluations of Green Certifications are provided as a courtesy for Masonite customers. Further confirmation should be completed on a project basis by consulting the certification guidelines or contacting an association representative for verification.
- ▶ USGBC, and LEED, are registered trademarks of the U.S. Green Building Council.

Note: Not all designs are available in Emerald, offering; contact Masonite for the complete product offering. The above referenced certifications are based on the following versions: LEED NC-3.0 / LEED H-2008 / LEED V4-2015. For technical specification information, visit masonite.com or contact us at 1-800-663-DOOR (3667).

FLUSH SERIES

DURABLE. LOW MAINTENANCE.








Hardwood

Eco-Friendly Engineered Emerald "Green" Doors



LEED V4 CREDIT	SAFE 'N S	OUND, EMERALD,	HOLLOW	CORE EMERALD
	Molded Panel	Flush Primed MDF	Molded Panel	Flush Primed MDF
Home				
Environmentally preferable products	•	•	•	•
Low-emitting products	•		•	•
New Construction				
Building product disclosure and optimization—sourcing of raw materials	•	•	•	•
Low-emitting materials	•	•	•	•
Acoustic performance	•	•		

TECHNICAL & SUPPORT INFORMATION ON EMERALD, "GREEN"

- ▶ This product contributes to satisfying the credits of the U.S. Green Building Council's LEED. Green Building Rating System.. For current applicable LEED, standards, visit www.usgbc.org.
- ▶ Evaluations of Green Certifications are provided as a courtesy for Masonite customers. Further confirmation should be completed on a project basis by consulting the certification guidelines or contacting an association representative for verification.
- ▶ USGBC, and LEED, are registered trademarks of the U.S. Green Building Council.

Note: Not all designs are available in Emerald, offering; contact Masonite for the complete product offering. The above referenced certifications are based on the following versions: LEED NC-3.0 / LEED H-2008 / LEED V4-2015. For technical specification information, visit masonite.com or contact us at 1-800-663-DOOR (3667).

Design & Size Options

							PA	SSA	GE									ВІ	FOL	DS			
	LIVINGSTON	12"	14"	15"	16"	18"	20"	24"	26"	28"	30"	32"	34"	36"	18"	24"	28"	30"	32"	36"	48"	60"	72"
LIVINGST	ON _™ (3 PANELS)																						
Commercial	Smooth 80"	•	•	•	•	•	•	•	•	•	•	•	•	•		•		•		•	•	•	•
10" Bottom	Smooth 84"	•	•	•	•	•	•	•	•	•	•	•	•	•		•		•		•	•	•	•
	Smooth 96"	•	•	•	•	•	•	•	•	•	•	•	•	•		•		•		•	•	•	•

							PA	SSA	GE									ВІ	FOL	DS			
HE	RITAGE SERIES.	12"	14"	15"	16"	18"	20"	24"	26"	28"	30"	32"	34"	36"	18"	24"	28"	30"	32"	36"	48"	60"	72"
LINCOLN F	PARK. (1 PANEL)																						
Commercial	Smooth 80"	•	•	•	•	•	•	•	•	•	•	•	•	•		•		•		•	•	•	•
10" Bottom Rail	Smooth 84"	•	•	•	•	•	•	•	•	•	•	•	•			•		•		•	•	•	
	Smooth 96"	•	•	•	•	•	•	•	•	•	•	•	•	•		•		•		•	•	•	•
LOG	AN ₁₄ (2 PANELS)																						
Commercial	Smooth 80"	•	•	•	•	•	•	•	•	•	•	•	•	•		•		•		•	•	•	•
— 10" Bottom Rail	Smooth 84"	•	•	•	•	•	•	•	•	•	•	•	•	•		•		•		•	•	•	•
	Smooth 96"	•	•	•	•	•	•	•	•	•	•	•	•	•		•		•		•	•	•	•
 WINSLO	DW . (3 PANELS)																						
Commercial 10" Bottom	Smooth 80"	•	•			•	•	•			•	•	•	•		•				•	•	•	•
Rail	Smooth 84"	•	•			•	•			•	•	•	•	•		•				•	•	•	•

						PA	SSA	GE									ВІ	FOL	DS			
WEST END COLLECTION.	12"	14"	15"	16"	18"	20"	24"	26"	28"	30"	32"	34"	36"	18"	24"	28"	30"	32"	36"	48"	60"	72"
BERKLEY.**																						
Smooth 80"	•*	•*	•*	•*	•*	•*	•	•	•	•		•	•		•		•		•			
Smooth 84"	•*	•*	•*	•*	•*	•*	•	•	•	•	•	•	•		•		•		•			
MELROSE.**																						
Smooth 80"	•*	•*	•*	•*	•*	•*	•	•	•	•	•	•	•		•		•		•			
Smooth 84"	•*	•*	•*	•*	•*	•*	•	•	•	•	•	•	•		•		•		•			

^{*}Thinner outer style will not affect functionality.

Note: 48", 60" and 72" bifolds are achieved by doubled 24", 30" and 36" bifolds.

Molded Panel Doors Notes: Please note that some sizes are only available as a result of being trimmed from a larger facing. The trimming process may result in a stile width that is too narrow to accommodate a standard bore. To machine a standard bore with a 2-3/8" backset on the lock hole and a 2-1/8" diameter bore, the outer stile measurements must be no less than 3-7/16" wide. Many facings have a lockrail that will accommodate a standard bore even when the stile width is too narrow. Please refer to Masonite Molded Door Facing Dimensional Specifications to verify the outer stile measurements or contact your Masonite Interior Door servicing plant. Textured refers to embossed wood-grain. Pre-finished white is available as textured only. Not all molded panel designs and sizes are available in all regions as stock products. Please check for special order availability.

) A C (SAG	=					-					BIFC	I De				
	MOLDED PANEL DOORS	12"	14"	15"	16"	18"			26"		30"	32"	34"	36"	42"	16"	18"	24"			32"		48"	60"	72"
	2 PANEL ARCH-TOP	12	14	IJ	10	10	20	24	20	20	30	JL	J-4	30	44	10	10	24	20	30	JL	30	40	00	12
	Textured 80"		•			•				•			•					•							•
	2 PANEL ROMAN SMOOTH																								
	Smooth 80"	•	•	•	•	•	•	•	•	•	•	•	•	•				•	•	•	•	•	•	•	•
	Smooth 84"																								
	Smooth 96"																			•					
	CHEYENNE.																								
	Smooth 80"	•	•	•	•	•	•	•	•	•	•	•	•	•				•	•	•	•	•	•	•	•
	Smooth 96"	•	•	•	•	•	•	•	•	•	•	•	•	•				•	•	•	•	•	•	•	•
	2 PANEL																								
	Smooth 80"	•	٠	٠	٠	•	٠	٠	٠	•	٠	٠	•	٠				•	٠	•	٠	٠	٠	٠	•
	Smooth 84"	•	•	•	٠	•	•	٠	•	•	٠	•	•	•				•	•	•	•	•	•	•	•
	Smooth 96"	•	•	•	•	•	•	•	•	•	•	•	•	•				•	•	•	•	•	•	•	•
пп	4 PANEL																								
	Smooth 80"	٠	٠	٠	٠	•	٠	٠	٠	•	٠	٠	•	٠				•	٠	•	٠	٠	٠	٠	•
	Smooth 84"	•	•	•	•	•	•	•	•	•	•	•	•	•				•	•	•	•	٠	•	•	•
ШШ	Smooth 96"	•	•	•	•	•	•	•	•	•	•	•	•	•				•	•	•	•	•	•	•	•
	RIVERSIDE.																								
	Smooth 80"	•	•	٠	٠	•	٠	•	•	•	٠	•	•	•				•	•	•	•	٠	•	•	•
	Smooth 84"	•	•	•	•	•	•	•	•	•	•	•	•	•				•	•	•	•	•	•	•	•
	6 Panels Smooth 96"	•												•				•		•					•
	6 PANEL																								
	Smooth 80"	•	•	•	٠	•	•	٠	•	•	٠	•	•	٠				•	•	•	•	•	•	•	•
	Textured 80"	•	٠	٠	٠	•	٠	٠	٠	٠	٠	٠	٠	٠		٠	٠	٠	٠	٠	٠	٠	٠	•	٠
	Smooth 84"	•	•	•	•	•	•	•	•	•	•	•	•	•				•	•	•	•	•	•	•	•
	Textured 84" Smooth 96"		•		•				•	•	•	•	•	•		•	٠	•	•	•	•	•	•	•	•
	Textured 96"																								
	2 PANEL COMMERCIAL																								
	Smooth 80"										•	•	•	•											
	Commercial 10" Bottom Rail Smooth 84"										•	٠	•	•											
P P	6 PANEL COMMERCIAL																								
	Smooth 80"										•	•	•	•	•										
	Smooth 84"										•	•	•	•	•										

						PA	SSA	GE									BII	FOL	DS			
FLUSH SERIES	12"	14"	15"	16"	18"	20"	24"	26"	28"	30"	32"	34"	36"	18"	24"	28"	30"	32"	36"	48"	60"	72"
80", 84", 96" Heights	12	17	15	10	10	20		20	20	30	<i>JL</i>	-	30			20	30	,,,	30	70	00	"-
MDF																						
Primed	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
VENEER																						
Oak, Birch, Hardwood	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

^{**}Not for use with double doors.

Design & Size Options

							PA	SSA	GE									ВІ	FOL	DS			
	LIVINGSTON	12"	14"	15"	16"	18"	20"	24"	26"	28"	30"	32"	34"	36"	18"	24"	28"	30"	32"	36"	48"	60"	72"
LIVINGST	ON _™ (3 PANELS)																						
Commercial	Smooth 80"	•	•	•	•	•	•	•	•	•	•	•	•	•		•		•		•	•	•	•
10" Bottom	Smooth 84"	•	•	•	•	•	•	•	•	•	•	•	•	•		•		•		•	•	•	•
	Smooth 96"	•	•	•	•	•	•	•	•	•	•	•	•	•		•		•		•	•	•	•

							PA	SSA	GE									ВІ	FOL	DS			
HE	RITAGE SERIES.	12"	14"	15"	16"	18"	20"	24"	26"	28"	30"	32"	34"	36"	18"	24"	28"	30"	32"	36"	48"	60"	72"
LINCOLN F	PARK. (1 PANEL)																						
Commercial	Smooth 80"	•	•	•	•	•	•	•	•	•	•	•	•	•		•		•		•	•	•	•
10" Bottom Rail	Smooth 84"	•	•	•	•	•	•	•	•	•	•	•	•			•		•		•	•	•	
	Smooth 96"	•	•	•	•	•	•	•	•	•	•	•	•	•		•		•		•	•	•	•
LOG	AN ₁₄ (2 PANELS)																						
Commercial	Smooth 80"	•	•	•	•	•	•	•	•	•	•	•	•	•		•		•		•	•	•	•
— 10" Bottom Rail	Smooth 84"	•	•	•	•	•	•	•	•	•	•	•	•	•		•		•		•	•	•	•
	Smooth 96"	•	•	•	•	•	•	•	•	•	•	•	•	•		•		•		•	•	•	•
 WINSLO	DW . (3 PANELS)																						
Commercial 10" Bottom	Smooth 80"	•	•			•	•	•			•	•	•	•		•				•	•	•	•
Rail	Smooth 84"	•	•			•	•			•	•	•	•	•		•				•	•	•	•

						PA	SSA	GE									ВІ	FOL	DS			
WEST END COLLECTION.	12"	14"	15"	16"	18"	20"	24"	26"	28"	30"	32"	34"	36"	18"	24"	28"	30"	32"	36"	48"	60"	72"
BERKLEY.**																						
Smooth 80"	•*	•*	•*	•*	•*	•*	•	•	•	•		•	•		•		•		•			
Smooth 84"	•*	•*	•*	•*	•*	•*	•	•	•	•	•	•	•		•		•		•			
MELROSE.**																						
Smooth 80"	•*	•*	•*	•*	•*	•*	•	•	•	•	•	•	•		•		•		•			
Smooth 84"	•*	•*	•*	•*	•*	•*	•	•	•	•	•	•	•		•		•		•			

^{*}Thinner outer style will not affect functionality.

Note: 48", 60" and 72" bifolds are achieved by doubled 24", 30" and 36" bifolds.

Molded Panel Doors Notes: Please note that some sizes are only available as a result of being trimmed from a larger facing. The trimming process may result in a stile width that is too narrow to accommodate a standard bore. To machine a standard bore with a 2-3/8" backset on the lock hole and a 2-1/8" diameter bore, the outer stile measurements must be no less than 3-7/16" wide. Many facings have a lockrail that will accommodate a standard bore even when the stile width is too narrow. Please refer to Masonite Molded Door Facing Dimensional Specifications to verify the outer stile measurements or contact your Masonite Interior Door servicing plant. Textured refers to embossed wood-grain. Pre-finished white is available as textured only. Not all molded panel designs and sizes are available in all regions as stock products. Please check for special order availability.

) A C (SAG	=					_					BIFC	I De				
	MOLDED PANEL DOORS	12"	14"	15"	16"	18"			26"		30"	32"	34"	36"	42"	16"	18"	24"			32"		48"	60"	72"
	2 PANEL ARCH-TOP	12	14	IJ	10	10	20	24	20	20	30	JL	J-4	30	44	10	10	24	20	30	JL	30	40	00	12
	Textured 80"		•			•				•			•					•							•
	2 PANEL ROMAN SMOOTH																								
	Smooth 80"	•	•	•	•	•	•	•	•	•	•	•	•	•				•	•	•	•	•	•	•	•
	Smooth 84"																								
	Smooth 96"																			•					
	CHEYENNE.																								
	Smooth 80"	•	•	•	•	•	•	•	•	•	•	•	•	•				•	•	•	•	•	•	•	•
	Smooth 96"	•	•	•	•	•	•	•	•	•	•	•	•	•				•	•	•	•	•	•	•	•
	2 PANEL																								
	Smooth 80"	•	٠	٠	٠	•	٠	٠	٠	•	٠	٠	•	٠				•	٠	٠	٠	٠	٠	٠	•
	Smooth 84"	•	•	•	٠	•	•	•	•	•	٠	•	•	•				•	•	•	•	•	•	•	•
	Smooth 96"	•	•	•	•	•	•	•	•	•	•	•	•	•				•	•	•	•	•	•	•	•
пп	4 PANEL																								
	Smooth 80"	٠	٠	٠	٠	•	٠	٠	٠	•	٠	٠	•	٠				•	٠	•	٠	٠	٠	٠	•
	Smooth 84"	•	•	•	•	•	•	•	•	•	•	•	•	•				•	•	•	•	٠	•	•	•
ШШ	Smooth 96"	•	•	•	•	•	•	•	•	•	•	•	•	•				•	•	•	•	•	•	•	•
	RIVERSIDE.																								
	Smooth 80"	•	•	٠	٠	•	٠	•	•	•	٠	•	•	•				•	•	•	•	٠	•	•	•
	Smooth 84"	•	•	•	•	•	•	•	•	•	•	•	•	•				•	•	•	•	•	•	•	•
	6 Panels Smooth 96"	•												•				•		•					•
	6 PANEL																								
	Smooth 80"	•	•	•	٠	•	•	٠	•	•	٠	•	•	٠				•	•	•	•	•	•	•	•
	Textured 80"	٠	٠	٠	٠	•	٠	٠	٠	٠	٠	٠	٠	٠		٠	٠	٠	٠	٠	٠	٠	٠	•	٠
	Smooth 84"	•	•	•	•	•	•	•	•	•	•	•	•	•				•	•	•	•	•	•	•	•
	Textured 84" Smooth 96"		•		•				•	•	•	•	•	•		•	٠	•	•	•	•	•	•	•	•
	Textured 96"																								
	2 PANEL COMMERCIAL																								
	Smooth 80"										•	•	•	•											
	Commercial 10" Bottom Rail Smooth 84"										•	٠	•	•											
P P	6 PANEL COMMERCIAL																								
	Smooth 80"										•	•	•	•	•										
	Smooth 84"										•	•	•	•	•										

						PA	SSA	GE									BII	FOL	DS			
FLUSH SERIES	12"	14"	15"	16"	18"	20"	24"	26"	28"	30"	32"	34"	36"	18"	24"	28"	30"	32"	36"	48"	60"	72"
80", 84", 96" Heights	12	17	15	10	10	20		20	20	30	<i>JL</i>	-	30			20	30	,,,	30	70	00	"-
MDF																						
Primed	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
VENEER																						
Oak, Birch, Hardwood	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

^{**}Not for use with double doors.



1-800-663-DOOR 9am to 5pm / Monday through Friday, EST masonite.com



MIC-21035 / MA-IDCAT-PR220